Saskatchewan
Ministry of
Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 9, June 3, 2010

Crop Report for the Period May 25 to 31, 2010

Saskatchewan farmers have made little seeding progress over last week, due to rain. Fifty-nine per cent of the crop is in the ground, according to Saskatchewan Agriculture's weekly Crop Report. The five-year average for this time of year is 86 per cent complete.

The majority of the province is dealing with very wet soil conditions, making seeding operations difficult at best. Since the beginning of April, many areas in the province have received more than six inches of total precipitation, and some areas have received in excess of eight inches of precipitation. Seeding is 78 per cent complete in northwestern Saskatchewan, 66 per cent complete in southwestern and west-central Saskatchewan, 65 per cent complete in the southeast, 44 per cent complete in the northeast and 42 per cent complete in east-central Saskatchewan.

Topsoil moisture continues to increase, and the wet soil is creating problems in some parts of the province, particularly in the northeastern and east-central regions, where cropland topsoil moisture conditions are reported as 94 and 84 per cent surplus, respectively. Provincially, cropland topsoil moisture is rated as 59 per cent surplus and 41 per cent adequate. Hay land and pasture top soil moisture is rated as 28 per cent surplus, 71 per cent adequate and one per cent short.

Eighty per cent of spring cereals and oilseeds are behind normal in development. Seventy-seven per cent of the pulse crops and 37 per cent of the fall cereals are behind normal in development. The majority of the crops that have emerged are in fair to good condition.

Crop damage is mostly attributed to flooding and frost. Frost damage was reported in the southern, west-central and northwestern regions with temperatures in some areas reaching -3C.

One year ago
All regions reported above 90 per cent of seeding complete. Crops were generally behind normal in development. Topsoil moisture conditions in the west central and north west regions were short and very short.

Seeding Progress in SK	
Per cent seeded	**All Crops**
May 31/10	59
5 year avg. (2005-2009)	86
June 1/09	95
June 1/08	97
May 27/07	75
May 28/06	80
May 29/05	85

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

The region has approximately 65 per cent of the 2010 crop in the ground. The rain has halted seeding and weed control operations. The region

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

CANADA – SASKATCHEWAN
Crop Insurance

reported receiving an average of 38 mm of rain. The Gainsborough area received 78 mm, the Moosomin area 75 mm, the Weyburn area 52 mm, Indian Head area 41 mm and the Radville and Ceylon areas 52 mm. Most areas received more than 30 mm of rain during the week. Since April 1, many areas have reported receiving well over 100 mm of rain, while other areas received over 175 mm.

Topsoil moisture conditions on cropland are reported as 60 per cent surplus and 40 per cent adequate. On hay land and pasture, topsoil moisture is rated as 19 per cent surplus and 81 per cent adequate. Crop district 2A is reporting 74 per cent of the crop land has surplus topsoil moisture.

Crops are emerging, but development is slow. Flooding is causing damage to emerging crops. Frost damage was reported in the Weyburn area.

Creeks are running higher now than during spring snow melt. Farmers are changing seeding plans. Many are reporting a week of dry weather is needed before equipment can enter the fields. Hay land and pasture is in good condition.

SE region Crop District	**% seeded (May 31/10)**	**% seeded (May 24/10)**	**% seeded (June 1/09)**
1A	76	73	95
1B	67	65	91
2A	63	61	90
2B	56	50	97
3ASE	70	70	94

SE SK Crop Development – May 31, 2010			
	% Ahead	% Normal	% Behind
Fall Cereals	16	68	16
Spring Cereals	3	30	67
Oilseeds	0	35	65
Pulse Crops	0	12	88

South east SK Crop Conditions- May 31, 2010

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale	
% excellent	46	55	12	10	13	16	N/A	
% good	46	27	44	40	39	41	N/A	
% fair	4	18	38	43	40	35	N/A	
% poor	4	0	6	7	7	7	N/A	
% very poor	0	0	0	0	0	0	N/A	
	Flax	Canola	Mustard	Sun-Flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	9	10	6	N/A	13	15	2	N/A
% good	32	37	49	N/A	41	37	46	N/A
% fair	41	43	40	N/A	40	42	50	N/A
% poor	15	9	4	N/A	5	5	2	N/A
% very poor	3	1	0	N/A	0	0	0	N/A

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

Sixty-six per cent of the crop is seeded in the southwestern region, and some areas in the region have over 80 per cent seeded. Rain slowed any significant seeding progress in most areas during the week. The region received an average of 34 mm of rain. The Lisieux area received 51 mm, Spring Valley area 52 mm, Mankota area 47 mm, Rush Lake area 58 mm, Eastend 48 mm and the Maple Creek area 35 mm. Most areas recorded more than 30 mm of precipitation for the week.

Cropland topsoil moisture is rated as 33 per cent surplus, 63 per cent adequate and four per cent short. Hay land and pasture topsoil moisture conditions are nine per cent surplus, 87 per cent adequate and four per cent short. Crop districts 3ASW and 3AN are reporting 52 and 59 per cent of the crop land has surplus topsoil moisture.

Crops are emerging in some regions. Crop damage has been caused by floods and frost. Some low areas in the fields are drowned out. Frost was reported in the Lisieux, Rockglen, Shaunavon, Cadillac, Webb, Consul and Maple Creek areas. Crop conditions are difficult to rate, as most are just coming out of the ground or are just being seeded. Crop development is slow due to cold and wet weather. Farmers are controlling weeds when and where they can. There is a prediction of more chem-fallow in some areas due to the late seeding. Hay land and pasture are in good condition.

SW Region Crop District	% seeded (May 31/10)	% seeded (May 24/10)	% seeded (June 1/09)
3ASW	44	35	94
3AN	51	46	99
3BS	69	58	97
3BN	72	71	98
4A	80	75	98
4B	82	74	96

SW SK Crop Development – May 31, 2010

	% Ahead	% Normal	% Behind
Fall Cereals	0	55	45
Spring Cereals	0	11	89
Oilseeds	0	10	90
Pulse Crops	0	12	88

South west SK Crop Conditions- May 31, 2010

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	12	24	14	14	18	24	22
% good	68	60	63	57	48	47	56
% fair	14	16	19	23	34	23	18
% poor	6	0	4	6	0	6	4
% very poor	0	0	0	0	0	0	0

	Flax	Canola	Mustard	Sun-Flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	0	1	9	N/A	9	10	2	1
% good	54	63	59	N/A	64	57	36	69
% fair	46	32	32	N/A	24	28	59	26
% poor	0	4	0	N/A	3	4	2	4
% very poor	0	0	0	N/A	0	0	0	0

East-Central Saskatchewan (Crop Districts 5 and 6a)

Farmers in the region have 42 per cent of the crop in the ground. Saturated soil conditions and continuous rain have slowed seeding and other field operations in the entire region. The region received an average of 37 mm during the week. The Langenburg area recorded 59 mm, the Rama area 62 mm and the Bradwell area 57 mm. Since April 1, the region has received between 109 to 260 mm of rain.

Topsoil moisture on cropland is reported as 84 per cent surplus and 16 per cent adequate. Hay land and pasture topsoil moisture is rated as 56 per cent surplus and 44 per cent adequate. More than 90 per cent of the cropland in crop districts 5A and 5B have surplus topsoil moisture.

Floods are is causing crop damage. Frost occurred in the Ituna area.

Crops are emerging, but are at risk from flooding. Some crops that are currently under water are not expected to recover. Farmers are predicting they will leave acres unseeded if current weather patterns continue for much longer. Crop reporters are indicating many producers in the region have not even started seeding. Seeding plans are changing. In the Jansen area, it is estimated that 10 to 15 per cent of most fields are not seeded due to wet areas. There are reports of canola seed being returned to the retailers. There were anhydrous ammonia shortages. Most winter wheat and fall rye crops look good. It is still too early to predict crop conditions in most areas.

EC Region Crop District	% seeded (May 31/10)	% seeded (May 24/10)	% seeded (June 1/09)
5A	51	47	86
5B	28	24	94
6A	46	46	93

EC SK Crop Development – May 31, 2010			
	% Ahead	% Normal	% Behind
Fall Cereals	2	61	37
Spring Cereals	0	16	84
Oilseeds	0	11	89
Pulse Crops	0	24	76

East central SK Crop Conditions- May 31, 2010

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	15	20	1	0	0	1	0
% good	67	56	32	52	14	29	80
% fair	13	12	30	32	40	36	20
% poor	5	12	33	5	40	29	0
% very poor	0	0	4	11	5	5	0

	Flax	Canola	Mustard	Sun-Flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	1	4	0	N/A	7	16	0	N/A
% good	26	26	28	N/A	40	41	90	N/A
% fair	33	36	26	N/A	29	31	10	N/A
% poor	39	31	23	N/A	19	0	0	N/A
% very poor	0	3	23	N/A	5	12	0	N/A

West-Central Saskatchewan (Crop Districts 6B and 7)

Sixty-six per cent of the region's crop is in the ground, essentially unchanged from last week. The region received an average of 45 mm of rain during the week. The Arelee area recorded 73 mm, the Rosetown and Harris areas 54 mm and the Sonningdale area 76 mm. Most areas reported receiving more than 35 mm of moisture for the week. Since April 1, the region has received between 100 to 255 mm of rain.

Cropland topsoil moisture is rated as 39 per cent surplus and 61 per cent adequate. Pasture and hay land topsoil moisture conditions are rated as 32 per cent surplus, 67 per cent adequate and one per cent short.

Floods and frost were the causes of most crop damage. Parts of crop districts 7A and 7B (Nether Hill, Herschel, Biggar, Tramping Lake, Kerrobert, Luseland, Scott and Battleford) received frost.

CD 6B is reporting saturated fields, and some farmers are two weeks behind in seeding. Crops are just starting to emerge and development is slow. Crops in some areas are stressed due to the wet and cold weather. Some farmers started work again on May 27, but rain on Friday shut down operations again. Weed control operations have been slowed due to rain, and many producers will be trying to control weeds in-crop.

WC Region Crop District	% seeded (May 31/10)	% seeded (May 24/10)	% seeded (June 1/09)
6B	56	56	91
7A	66	64	97
7B	77	76	98

WC SK Crop Development – May 31, 2010			
	% Ahead	% Normal	% Behind
Fall Cereals	5	63	32
Spring Cereals	0	14	86
Oilseeds	0	19	81
Pulse Crops	0	24	76

West central SK Crop Conditions- May 31, 2010

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	15	21	9	9	6	6	0
% good	79	62	46	53	50	51	45
% fair	6	17	36	30	37	35	10
% poor	0	0	8	8	7	8	45
% very poor	0	0	0	0	0	0	0

	Flax	Canola	Mustard	Sun-Flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	1	5	11	N/A	7	7	1	0
% good	49	51	41	N/A	55	54	63	85
% fair	35	36	36	N/A	32	33	27	15
% poor	15	7	12	N/A	6	5	7	0
% very poor	0	0	0	N/A	0	0	0	0

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

Thanks to rain and poor drying conditions throughout the week, seeding advanced only one per cent from the previous week. Forty-four per cent of the crop is now seeded. The region received on average 49 mm of rain. The Tisdale area received 62 mm, the Melfort area 64 mm, the Vonda area 56 mm and the Garrick area 133 mm. Since April 1, the region has received between 108 to 246 mm of rain.

Topsoil moisture continues to increase. Cropland topsoil moisture is rated as 94 per cent surplus and six per cent adequate. Hay land and pasture topsoil moisture is rated as 79 per cent surplus and 21 per cent adequate.

Crop damage is due to flooding.

Farmers are doing what they can to get their crops seeded. Some are cultivating, if they can get into the field, to speed the drying process on stubble fields, seeding with a valmar and draining sloughs. In some areas, many of the emerging crops are under water. It is still too early to determine the condition of the crops that have emerged. Farmers are worried as it is June and many have not started or are only one-third done seeding. Soils are saturated and unable to support equipment.

NE Region Crop District	% seeded (May 31/10)	% seeded (May 24/10)	% seeded (June 1/ 09)
8A	48	48	97
8B	43	43	98
9AE	40	29	96

NE SK Crop Development – May 31, 2010

	% Ahead	% Normal	% Behind
Fall Cereals	0	43	57
Spring Cereals	4	9	87
Oilseeds	0	12	88
Pulse Crops	0	14	86

North east SK Crop Conditions- May 31, 2010

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale	
% excellent	0	0	3	0	0	0	N/A	
% good	60	78	10	5	8	6	N/A	
% fair	28	16	51	27	35	48	N/A	
% poor	12	6	36	68	57	46	N/A	
% very poor	0	0	0	0	0	0	N/A	
	Flax	Canola	Mustard	Sun-Flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	0	5	N/A	N/A	0	0	N/A	N/A
% good	0	3	N/A	N/A	1	6	N/A	N/A
% fair	17	48	N/A	N/A	57	64	N/A	N/A
% poor	83	44	N/A	N/A	42	30	N/A	N/A
% very poor	0	0	N/A	N/A	0	0	N/A	N/A

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

The northwestern region received significant rain last week, slowing seeding progress. However, the region continues to lead the province in seeding progress, with 78 per cent of the 2010 crop in the ground. The region received an average of 47 mm of rain. The Hafford area received 74 mm, the Speers area 44 mm, the North Battleford area 69 mm and the Dorintosh area 30 mm. Since April 1, the region has received between 134 to 248 mm of rain.

Topsoil moisture conditions for cropland are 39 per cent surplus and 61 per cent adequate. Pasture and hay land conditions are six per cent surplus and 94 per cent adequate.

The majority of crop damage was caused by floods and frost. Frost was reported in the Hafford, Medstead, Turtleford, St. Walburg, Barthel and Rapid View areas. Flea beetle damage was reported in the Dorintosh area.

Crops are emerging, but slow to develop due to the cool and wet weather. Frost damage is showing up on some of the alfalfa crops. Some farmers were able to get into the field on May 27, before the rain set in for the weekend. Some pea fields are nearly ready for spraying, but the ground is too wet to support equipment. It is still too early to evaluate crop conditions. The hay crop and pastures are looking promising. Some heat and sun would be good for everything.

NW Region Crop District	% seeded (May 31/10)	% seeded (May 24/10)	% seeded (June 1/09)
9AW	75	69	95
9B	82	70	94

NW SK Crop Development – May 31, 2010			
	% Ahead	% Normal	% Behind
Fall Cereals	0	49	51
Spring Cereals	2	38	60
Oilseeds	0	32	68
Pulse Crops	0	33	67

North west SK Crop Conditions- May 31, 2010

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale	
% excellent	0	3	16	N/A	18	23	N/A	
% good	90	93	54	N/A	49	50	N/A	
% fair	10	4	27	N/A	29	26	N/A	
% poor	0	0	2	N/A	3	1	N/A	
% very poor	0	0	0	N/A	0	0	N/A	
	Flax	Canola	Mustard	Sun-Flower	Pea	Lentil	Canary-seed	Chick-pea
% excellent	0	16	N/A	N/A	18	N/A	N/A	N/A
% good	67	51	N/A	N/A	54	N/A	N/A	N/A
% fair	33	29	N/A	N/A	27	N/A	N/A	N/A
% poor	0	3	N/A	N/A	1	N/A	N/A	N/A
% very poor	0	1	N/A	N/A	0	N/A	N/A	N/A

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period May 25 to 31, 2010

Crop Dist.	R.M. No.	Past Name	Week	Since 1-Apr
1A	1	Argyle	78	173
	2	Mount Pleasant	34	98
	3	Enniskillen	29	100
	33 A	Moose Creek	N/A	39
	33 B	Moose Creek	39	118
	34	Browning	N/A	109
	61	Antler	N/A	42
	63	Moose Mountain	15	107
	64	Brock	19	127
	65	Tecumseh	53	161
1B	91	Maryfield	N/A	107
	92	Walpole	14	117
	93	Wawken	27	141
	95	Golden West	32	146
	122	Martin	75	215
	123 A	Silverwood	33	114
	123 B	Silverwood	N/A	N/A
	124	Kingsley	35	120
	125	Chester	35	131
	151 A	Rocanville	50	159
	151 B	Rocanville	68	192
	153	Willowdale	41	102
	154	Elcapo	40	167
	155	Wolseley	54	191
2A	66	Griffin	N/A	120
	67	Weyburn	48	149
	68	Brokenshell	52	150
	69	Norton	N/A	183
	96	Fillmore	27	125
	97	Wellington	19	98
2B	127 A	Francis	27	133
	127 B	Francis	38	85
	129	Bratt's Lake	N/A	84
	156 A	Indian Head	41	167
	156 B	Indian Head	37	147
	157	South Qu'appelle	N/A	N/A
	160	Pense	7	140
	161	Moose Jaw	25	157
	191	Marquis	19	156
3ASE	38 A	Laurier	52	159
	38 B	Laurier	30	152
	39 A	The Gap	36	151
	39 B	The Gap	52	221
3ASW	10	Happy Valley	20	209
	11	Hart Butte	N/A	N/A
	12	Poplar Valley	46	152
	40	Bengough	20	166
	42	Willow Bunch	51	183
	43	Old Post	8.5	132
	44	Waverley	N/A	118
	70	Key West	N/A	82
	71 A	Excel	50	176
	71 B	Excel	N/A	123
	73 A	Stonehenge	45	174
	73 B	Stonehenge	44	237
	74	Wood River	33	110
3AN	101	Terrell	52	209
	102	Lake Johnston	28	121
	103	Sutton	5	169
	134	Shamrock	N/A	162
	164	Chaplin	37	146
	193	Eyebrow	43	167
	194	Enfield	47	195
3BS	17	Val Marie	6	149
	45	Maple Creek	47	158
	75 A	Pinto Creek	N/A	95
	75 B	Pinto Creek	43	142
	76 A	Auvergne	34	122
	76 B	Auvergne	30	111
	77	Wise Creek	13	135
	78 A	Grassy Creek	28	165
	78 B	Grassy Creek	33	165
	78 C	Grassy Creek	37	197
	105	Glenbain	40	135
	106	Whiska Creek	24	93
	107	Lac Pelletier	14	125
	108	Bone Creek	31	160
3BN	136	Webb	28	159
	165	Morse	N/A	N/A
	166	Excelsior	58	226
	167	Sask. Landing	38	160
	168	Riverside	39	169
	226	Victory	37	183
	228	Lacadena	42	126
	255	Coteau	N/A	N/A
	257	Monet	37	137
4A	49	White Valley	N/A	143
	49 A	White Valley	46	147
	51	Reno	36	132
	79	Arlington	38	152
	109	Carmichael	55	186
	110	Piapot	33	175
	111	Maple Creek	N/A	160
4B	139	Gull Lake	38	176
	141	Big Stick	35	211
	142	Enterprise	28	226
	169	Pittville	N/A	144
	171	Fox Valley	30	159
	229	Miry Creek	N/A	N/A
	231	Happyland	21	94
5A	181	Langenberg	43	155
	183	Fertile Belt	48	150
	185	Mcleod	18.5	126
	186	Abernethy	33	141
	211	Churchbridge	59	171
	213	Saltcoats	54	161
	216	Tullymet	23	117
	241	Calder	40	141
	243	Wallace	N/A	103
	245 A	Garry	33	190
	245 B	Garry	48	204
	246	Ituna Bon Accord	28	140
	247	Kellross	41	175
	248	Touchwood	31	109
5B	271	Cote	25	117
	275	Insinger	N/A	N/A
	276	Foam Lake	60	218
	277	Emerald	41	217
	278	Kutawa	N/A	N/A
	305	Invermay	62	213
	307	Elfros	38	260
	308	Big Quill	36	165
	333	Clayton	41	133
	335	Hazel Dell	34.3	167
	336	Sasman	42	182
	337	Lakeview	41	174
	338	Lakeside	41	202
	366	Kelvington	24	143
6A	190 A	Dufferin	34	122
	190 B	Dufferin	40	169
	190 C	Dufferin	41	142
	190 D	Dufferin	N/A	172
	219 A	Longlaketon	16	130
	219 B	Longlaketon	36	151
	220	Mokillop	15	132
	221	Sarnia	N/A	126
	222	Craik	47	180
	251	Big Arm	36	192
	252	Arm River	41	155
	279	Mount Hope	28	184
	280	Wreford	N/A	167
	282	McCraney	39	221
	309	Prairie Rose	24	203
	313	Lost River	53	171
	339	Leroy	28.2	214
	340	Wolverine	35	226
	341	Viscount	27	193
	343	Blucher	57	214
6B	253	Willner	45	158
	283	Rosedale	67	243
	284	Rudy	48	229
	285	Fertile Valley	51	202
	286	Milden	38	172
	314	Dundurn	66	197
	344	Corman Park	68	196
	346	Perdue	61	250
	376 A	Eagle Creek	73	257
	376 B	Eagle Creek	64	225
7A	260	Newcombe	30	111
	260 B	Newcombe	21	47
	287	St. Andrews	39	133
	288	Pleasant Valley	38	143
	290 A	Kindersley	27	100
	290 B	Kindersley	N/A	99
	292	Milton	20	103
	317 A	Marriott	54	132
	317 B	Marriott	54	202
	318 A	Mountain View	38	155
	318 B	Mountain View	48	205
	320	Oakdale	36	142
	321	Prairiedale	24	122
7B	347 A	Biggar	47	182
	347 B	Biggar	43	146
	350 A	Manposa	39	133
	350 B	Manposa	35	137
	351	Progress	45	180
	352	Heart's Hill	40	164
	377	Glenside	76	255
	378 A	Rosemount	36	155
	378 B	Rosemount	60	214
	379	Reford	47	185
	380	Tramping Lake	39	149
	381	Grass Lake	31	203
	382	Eye Hill	30	170
	409	Buffalo	65	246
	410	Round Valley	32	163
	411	Senlac	38	182
8A	395	Porcupine	N/A	92
	397	Barrier Valley	31	168
	428	Star City	33	163
	456	Arborfield	41	108
	457	Connaught	62	198
	458	Willow Creek	38	143
	486	Moose Range	57	155
8B	369	St. Peter	32	173
	370	Humboldt	38	226
	371	Bayne	39	211
	372	Grant	56	207
	402	Fish Creek	51	182
	429 A	Flett's Springs	64	124
	429 B	Flett's Springs	15	163
	430	Invergordon	N/A	43
	459	Kinistino	54	205
8AE	461	Prince Albert	50	219
	488	Torch River	133	246
	520	Paddockwood	N/A	67
8AW	406	Mayfield	56	170
	435	Redberry	74	231
	436	Douglas	44	136
	463	Duck Lake	46	184
	464	Leask	48	248
	467	Round Hill	N/A	N/A
	494	Carnwood	62	196
	496	Spiritwood	59	230
	497	Medstead	51	159
9B	438	Battle River	69	209
	440	Hillsdale	N/A	160
	442	Manitou Lake	34.8	165
	498 A	Parkdale	56	195
	498 B	Parkdale	N/A	113
	499	Mervin	33.5	138
	501 A	Frenchman Butte	34	134
	501 B	Frenchman Butte	50	169
	501 C	Frenchman Butte	44	168
	502	Britannia	42	177
	561	Loon Lake	37	167
	588 A	Meadow Lake	44	167
	588 B	Meadow Lake	25	184
	588 C	Meadow Lake	46	212
	588 D	Meadow Lake	30	148
	622	Beaver River	N/A	179

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Weekly Rainfall

for the week ending May 31, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 2, 2010

Cumulative Rainfall

From: April 1, 2010
To: May 31, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 2, 2010

Weekly Rainfall

for the week ending May 31, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas this map should be used for regional analysis only

Saskatchewan Ministry of Agriculture

0 25 50 100 150 200
Kilometers

Data Source
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 2, 2010

Cumulative Rainfall

From: April 1, 2010

To: May 31, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

0 25 50 100 150 200

Kilometers

N

Data Source:
Rainfall - Ministry of Agriculture Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 2, 2010

Cropland Topsoil Moisture Conditions

June 1, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 2, 2010

Hay and Pasture Topsoil Moisture Conditions

June 1, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 2, 2010

Cropland Topsoil Moisture Conditions

June 1, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

0 25 50 100 150 200
Kilometers

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 2, 2010

Hay and Pasture Topsoil Moisture Conditions

June 1, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

0 25 50 100 150 200

Kilometers

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: June 2, 2010